



EMANEED

Emamectin Benzoate 5% SG

EMANEED is an insecticide from avermectin group that gives excellent control on lepidopterans by acting on the nerves cell to suppress muscle contraction and stop the larvae from feeding within 2 hours of application

Mode of Action

A non-systemic insecticide with its excellent translaminar action gives effective control of caterpillars by its contact and stomach action

Features & Benefits

- EMANEED [insecticide](#) penetrates under the leaves by translaminar action and controls the caterpillar present on the lower side of the leaves.
- Act on the nerves cell and stop the larvae to cause damage within 2 hours.

- Kills larvae within the egg before hatching thus giving quick control and increasing residual activity.
- Compatible with almost all [fungicides](#) and Insecticides.
- Safe for most of the beneficial species.
- Less damage to crop as it stops feeding lepidopterans within 2 hours of ingestion.
- Higher yield leads to better profits.
- Reduces the input cost.
- Attack and controls the insects at the lower surface of leaves as well.

Crop Recommendation

CROPS	TARGET PEST/ DISEASE	DOSAGE
 Cotton	Bollworms	76-88 gm/acre
 Okra	Fruit and Shoot Borer	54-68 gm/acre
 Cabbage and Cauliflower	Diamond Back Moth	60-80 gm/acre
 Chilli	Fruit borer, Thrips and Mites	80 gm/acre
 Brinjal	Fruit and Shoot Borer	80 gm/acre
 Red Gram	Pod Borer	88 gm/acre
 Chickpea	Pod Borer	88 gm/acre

CROPS	TARGET PEST/ DISEASE	DOSAGE
 Grapes	Thrips	88 gm/acre
 Tea	Tea looper	80 gm/acre

Pack Sizes

1 Kg	500 gm	250 gm	100 gm	50 gm
------	--------	--------	--------	-------